

$$\frac{x^2}{a^2} + \frac{y^2}{b^2} = 1$$

$$AF_2 \quad F_1(c, 0)$$

$$\frac{a+(-c)}{2} = c \quad , F_2(-c, 0), A(a, 0) :$$

$$a = 3c$$

(0, 0)

A(a, 0), B(0, b) ()

AB - ,

$$a^2 + b^2 = 17$$

$$a^2 = b^2 + c^2$$

$$\begin{cases} a = 3c \rightarrow c^2 = \frac{a^2}{9} \\ a^2 + b^2 = 17 \rightarrow b^2 = 17 - a^2 \\ a^2 = b^2 + c^2 \end{cases}$$

$$a^2 = 17 - a^2 + \frac{a^2}{9} \rightarrow \frac{17}{9}a^2 = 17 \rightarrow a = 3 \leftarrow a > 0$$

$$a = 3 \rightarrow c = 1, b = 8$$

$$\frac{x^2}{9} + \frac{y^2}{8} = 1$$

$$(1.5, \sqrt{2}) \quad \left(\frac{0+3}{2}, \frac{\sqrt{8}+0}{2} \right)$$

, y - x -

$$(1.5, -\sqrt{2}), (-1.5, -\sqrt{2}), (-1.5, \sqrt{2}) :$$


$$3 \cdot 2\sqrt{2} = 6\sqrt{2}$$

$$z = 0 \quad [x, y]$$

$$4 \quad (0, 3, 4)$$

$$V = \frac{6\sqrt{2} \cdot 4}{3} = 8\sqrt{2} :$$

$$8\sqrt{2}$$



$$\begin{aligned} \overline{CF} = \underline{u} \quad & |u| = \sqrt{7} \quad u^2 = 5 \\ \overline{AD} = \underline{v} \quad & |v| = \sqrt{13} \quad v^2 = 13 \\ \overline{AA'} = \underline{w} \quad & |w| = \sqrt{5} \quad w^2 = 5 \\ \underline{u} \cdot \underline{v} = \underline{v} \cdot \underline{w} = 0 \quad & \leftarrow \underline{u} \perp \underline{v}, \underline{v} \perp \underline{w} \\ \underline{u} \cdot \underline{w} = |u| \cdot |w| \cdot \cos \angle(u, w) \\ \underline{u} \cdot \underline{w} = \sqrt{7} \cdot \sqrt{5} \cdot \frac{\sqrt{35}}{10} \\ \underline{u} \cdot \underline{w} = 3.5 \end{aligned}$$

$$\cos \angle ABC = \frac{\overline{AB} \cdot \overline{CB}}{|\overline{AB}| |\overline{CB}|}$$

$$\overline{AB} = -2\underline{w}$$

$$\overline{CB} = \overline{CF} + \overline{FE} + \overline{EB}$$

$$\overline{CB} = \underline{u} + \underline{v} - \underline{w}$$

$$\overline{AB} \cdot \overline{CB} = -2\underline{w}(\underline{u} + \underline{v} - \underline{w})$$

$$\overline{AB} \cdot \overline{CB} = -2\underline{u}\underline{w} + 2\underline{w}^2 = -2 \cdot 3.5 + 2 \cdot 5 = 3 \quad \leftarrow \underline{u} \cdot \underline{v} = \underline{v} \cdot \underline{w} = 0$$

$$|\overline{AB}| = |-2\underline{w}| = 2\sqrt{5}$$

$$|\overline{CB}| = |\underline{u} + \underline{v} - \underline{w}| = \sqrt{u^2 + v^2 + w^2 - 2\underline{u}\underline{w}} = \sqrt{7 + 13 + 5 - 2 \cdot 3.5} = \sqrt{18}$$

$$\cos \angle ABC = \frac{3}{2\sqrt{5} \cdot \sqrt{18}}$$

$$\angle ABC = 80.9^\circ$$

$$\angle ABC = 80.9^\circ :$$

$$A(0, 2, 3), B(2, 6, 3) :$$

. AB

, f

AB

$$\overline{AB} = \underline{B} - \underline{A} = \underline{x} = (2, 4, 0)$$

$$B(2, 6, 3)$$

$$, 2x + 4y + d = 0$$

$$. x + 2y = 14 = 0$$

$$2x + 4y - 28 = 0 \quad \cdot \quad d = -28 \quad \cdot$$

$$2 \cdot 2 + 4 \cdot 6 + d = 0$$


$$. x + 2y = 14 = 0$$

f

:

. $A(0, 2, 3)$, $B(2, 6, 3)$:

. f BC ()
 . AB BC ; $\sphericalangle ABC = 80.9^\circ$
 . $90^\circ -$, f AB
 $90^\circ - 80.9^\circ = 9.1^\circ$
 . 9.1° f BC () :



$|x-3i|=1$ z (1)

$z = a + bi$

$|x-3i|=1$


$|a + bi - 3i|=1$

$|(a + (b-3)i)|=1$

$\sqrt{a^2 + (b-3)^2} = 1$

$a^2 + (b-3)^2 = 1$

.1 (0,3) $y -$ $x^2 + (y-3)^2 = 1$



(2) $, \bar{z} = a - bi$ (2)

$(x -$) (1)

.1 (0,-3) $y -$ $x^2 + (y+3)^2 = 1$

$x^2 + (y-3)^2 = 1$

$x = 1$ $, z_0 = 1 + yi$ (2)

$1^2 + (y-3)^2 = 1$

$(y-3)^2 = 0$

$y = 3$

$.3 - (-3) = 6$


$z = 1 + 3i, \bar{z} = 1 - 3i$,

.6

:

"

$f(x)$ (-2) $f(x)$ $g'(x)$ $g'(x) = -2f(x)$



$g(x) = \int f(x) dx$ $f(x) = -g'(x)$

$g(0.5) = \frac{1}{e^{0.25}}$ $g'(x) = -2xe^{-x^2}$

$f(x) = -0.5g'(x) = -0.5 \cdot (-2xe^{-x^2})$

$f(x) = xe^{-x^2}$

$g(x) = \int g'(x) dx = \int (-2xe^{-x^2}) dx = \int (e^{-x^2} \cdot (-2x)) dx$

$(0.5, \frac{1}{e^{0.25}})$

$g(x) = e^{-x^2} + c$

$\frac{1}{e^{0.25}} = e^{-0.5^2} + c$

$e^{-0.25} = e^{-0.25} + c \rightarrow c = 0$


$g(x) = e^{-x^2}$

$f(x) > g(x)$ x

$xe^{-x^2} > e^{-x^2} \quad \because e^{-x^2} > 0$

$x > 1$

$x > 1$



$$f'(x) = \frac{2 \cdot \sqrt[3]{x} - 2}{\sqrt[3]{x}}$$

$$x \quad f(x) \quad , \quad (1)$$

$$f'(x) = \frac{2 \cdot \sqrt[3]{x} - 2}{\sqrt[3]{x}} \quad |$$

$$0 = \frac{2 \cdot \sqrt[3]{x} - 2}{\sqrt[3]{x}}$$

$$0 = 2 \cdot \sqrt[3]{x} - 2$$

$$\sqrt[3]{x} = 1$$

$$x = 1$$

$$x < 0 \quad x > 1 \quad f'(x) > 0 \quad ,$$

$$0 < x < 1 \quad f'(x) < 0 -$$

$$0 < x < 1 : \quad , \quad x < 0 \quad x > 1 : \quad :$$

$$, x < 0 \quad x > 0 \quad , \quad f'(x) \quad (2)$$

$$f''(x) ,$$

$$(\cup) \quad f(x)$$

$$x = 0$$

$$, x = 0$$

$$, " \quad " \quad ,$$

$$.(x \quad - \quad , x < 0 \quad x > 0 : \quad :$$

$$y = -1$$

$$x = 1$$

$$f'(x) = \frac{2 \cdot \sqrt[3]{x} - 2}{\sqrt[3]{x}} = 2 - \frac{2}{x^{1/3}} = 2 - 2x^{-1/3}$$

$$f(x) = \int f'(x) dx = \int (2 - 2x^{-1/3}) dx = 2x - \frac{2x^{2/3}}{2/3} + c$$

$$f(x) = 2x - 3x^{2/3} + c$$

$$(1, -1)$$

$$-1 = 2 \cdot 1 - 3 \cdot 1^{2/3} + c \rightarrow c = 0$$

$$f(x) = 2x - 3\sqrt[3]{x^2}$$

"

$f(x)$

$$f(0) = 2 \cdot 0 - 3 \cdot \sqrt[3]{0^2} = 0 \rightarrow \boxed{(0,0)}$$

$$0 = 2x - 3\sqrt[3]{x^2}$$

$$0 = x(2 - 3x^{-1/3})$$

$$x = 0 \rightarrow (0,0)$$

$$2 = 3x^{-1/3}$$

$$x^{1/3} = 1.5$$

$$x = 3.375 \rightarrow \boxed{(3.375,0)}$$

$(3.375,0)$, $(0,0)$:

$f(x)$

III

$(x=1)$

x

(2)

(1)

" "

$x=0$

